

Trade name	Kflex	HiGlo	Intense	SENSENE	Arcaclean
Category	HCS & glycol ether	HCS & glycol ether	HCS & glycol ether	Modified alcohol & HCS	Mixture (glycol ethers)
Chemical composition	-	-	-	-	-
CAS	-	-	-	-	-
Boiling point °C	160	184	180-210	180	165-235
Flashpoint °C	>61	62	64	65	84
Vapour pressure Pa @ 20°C	60	<100		54	50
Density g/cm ³	0,8	0,79	0,79	0,84	0,96
Solubility in water g/kg	yes	yes	yes	yes	yes
KB Value	75	45	73	161	78
Drying temperature drum inlet (°C)	70	75-80		65	70
Time cleaning cycle (min)	65-70	63-70		62-70	65-70
Care label	none	none	none	none	none
Odour	light	light	light	light	light

Trade name	Tetrachloroethylene	DF-2000	GreenEarth	Solvon K4
Category	PERC or PCE	(Iso)alkane	Siloxane D5	Dibutoxymethane
Chemical composition	C2Cl4	C9-C12	C10H30O5Si5	C9H20O2
CAS	127-18-4	90622-57-4	541-02-6	2568-90-3
Boiling point °C	121	191-205	210	180,5
Flashpoint °C	non flammable	64	77	62
Vapour pressure Pa @ 20°C	1900	40-50	15	79
Density g/cm ³	1,62	0,77	0,95	0,84
Solubility in water g/kg	0,15	negligible	0,000017	negligible
KB Value	90	27	13	75
Drying temperature drum inlet (°C)	60-65	70-75	75-80	75-80
Time cleaning cycle (min)	45-50	63-70	70-80	70-80
Care label	P	P & F	none	none
Odour	ethereal	virtually odourless	odourless	characteristic